

GLEM
COLLECTION
COLOURS OF LIFE



A Product of:
SUPA LAMINATES PVT. LTD. (INDIA)
E-Mail: info@supalam.com
follow us on [supalamindia](#)

REDUCE
REUSE
RECYCLE



Website :
www.supalam.com



DOWNLOAD
E-CATALOGUE

Karya Graphito : 9772918171



GLEM
COLLECTION
COLOURS OF LIFE

133
REASONS



GET IN TOUCH
WHATSAPP



GLEM
COLLECTION
COLOURS OF LIFE





Weather Resistant



Water Resistant



Heat Resistant



Scratch Resistant



High Tensile Strength



Stain Resistant



Abrasion Resistant



High Flexibility

About Us

This is an exclusive range of a resplendently beautiful collection of laminate designs that splashes an exemplary touch of articulate renditions for you to cherish for long. Do away with ordinary designs and give way to a touch of panache class that re-invents the forms of laminate sheets to another level altogether. Made with finesse after extensive R&D, this is a collection that revolves around an aura of fabulous touch and emanates an exclusive eminence of distinct class and charismatic style.

Weave your decor with these stunning laminate designs and see how it reverberates a chord of aesthetics and stylistic quotient of scintillating form. Curated with precision and perfection, this range creates a distinct appeal that's hard to resist. Dwell in opulence and luxury and feel elated with a great style ecstasy.

GLEM
COLLECTION
COLOURS OF LIFE



133
Designs Swatches

12
Textures

65
Decor in
Textured Solids
Woodens
Stones
Abstracts

Matching Edge Banding Available

ACRYLAM



EU 10 XG*



EU 13 XG*



EU 12 XG*




EU 10**




EU 12**




EU 13**



EU 14**



EU 18**



EU 17**

**PREMIUM



EU 16**



EU 15**




EU 16 XG*




EU 17 XG*




EU 15 XG*




760 XG



763 XG



762 XG



759 XG



758 XG



780 XG

SUP
ERI
OR


INTERIORS




SOOTHING
PASTELS



951 FLT



951 XG



951 PUZ



951 SLM



972 HG*



U
N
I
Q
U
E



972 MT*

*Matching EDGEBAND Tape Available

SOOTHING
PASTELS




939 HG*




939 XG




939 SLM




939 FLT



937 FLT



937 PUZ



937 SLM



937 MT*



939 MT*

*Matching EDGEBAND Tape Available


SOOTHING
PASTELS




971 HG*



971 XG



971 FLT



936 FLT



936 XG




936 HG*




971 MT*



971 SLM



971 PUZ



936 PUZ




936 SLM



936 MT*

*Matching EDGEBAND Tape Available


SOOTHING
PASTELS



934 FLT



934 XG



934 PUZ



934 SLM



934 HG*



C
L
A
S
S
Y



934 MT*

*Matching EDGEBAND Tape Available


SOOTHING
PASTELS




940 HG*



940 XG



940 FLT



974 FLT




974 XG




974 HG*




940 MT*




940 SLM



940 PUZ



974 PUZ



974 SLM



974 MT*

*Matching EDGEBAND Tape Available

SOOTHING
PASTELS



935 FLT




935 XG



935 HG*



T
R
E
N
D
Y



935 PUZ



935 SLM



935 MT*

*Matching EDGEBAND Tape Available


SOOTHING
PASTELS




933 HG*



933 XG



933 FLT




938 FLT




938 ZST



933 SLM



933 ZST



938 SLM



933 MT*



938 MT*

*Matching EDGEBAND Tape Available

SOOTHING
PASTELS



932 HG*




932 MT*



953 XG



953 SLM



953 FLT




953 ZST

*Matching EDGEBAND Tape Available




S
H
I
N
E


SOOTHING
PASTELS



911 HG*




911 XG




911 SLM




911 PUZ



931 FLT



931 XG



931 SLM



931 HG*



931 MT*

*Matching EDGEBAND Tape Available

SOOTHING
PASTELS




975 HG*




975 XG




975 SLM



975 PUZ



973 FLT



973 PUZ



973 XG



973 SLM



973 HG*



S
O
F
T
Y



973 MT*

*Matching EDGEBAND Tape Available



525 FLT

ECS TATIC

DESIGNS



525 MT*



529 MT*



529 ZWG



*Matching EDGEBAND Tape Available



569 ZWG



733 ZWG



535 ZWG



2024 MT*



2017 MT*

*Matching EDGEBAND Tape Available

CLASSY
ZERO WOOD



2024 MT*



526 ZBO



523 ZBO



519 ZBO




520 ZBO



2033 MT*



2032 MT*



2035 MT*




*Matching EDGEBAND Tape Available



D A Z Z L E

RAV
ISHING

DECORS



6006 MT*



712 FLT

971 FLT

974 FLT




713 FLT



707 FLT

AWE
SOME
FEELINGS



6001 HG*/MT*



708 FLT

*Matching EDGEBAND Tape Available



7441 MT*



538 OAK




537 OAK



510 SLM




I
C
O
N
I
C



578 ZST

CHA RMING

LOOKS



6006 MT*



6003 MT*



579 ZST

*Matching EDGEBAND Tape Available




717 XG



717 SLM



717 FLT



717 ZST



E
X
O
T
I
C



E
L
E
G
A
N
T




757 OSH



704 OSH

*Matching EDGEBAND Tape Available



733 OSH

E
L
E
G
A
N
T



545 SLM



556 ASH

*Matching EDGE BAND Tape Available



569 ASH



2024 MT*

BEELINE
WOOD



794 HG*



794 MT*



794 XG



794 SLM



797 XG



797 SLM



797 HG*



797 MT*

*Matching EDGEBAND Tape Available

BEELINE
WOOD



795 HG*




795 MT*




795 XG



795 SLM



796 XG



796 SLM



796 HG*




796 MT*




D
A
P
P
E
R

*Matching EDGEBAND Tape Available




6006 XC*



712 XG



713 XG



706 XG



706 SLM



B
E
A
U
T
Y



2023 MT*



770 SWD



769 SWD



765 SWD



2029 MT*



2025 MT*




6006 MT*



788 SLM



788 XG



788 STX



787 STX



787 SLM



787 XG



6006 XC*

SUEDE
FINISH



2002 MT*



2017 MT*



530 SF



535 SF



757 SF



529 SF



2018 MT*



C
H
A
R
M
I
N
G



2007 MT*

*Matching EDGEBAND Tape Available

SUEDE
FINISH



514 SF



543 SF



519 SF




520 SF



2018 MT*



M
Y
S
T
I
C




2007 MT*



2009 MT*


SUEDE
FINISH




2015 MT*



2027 MT*



701 SF



733 SF

TECHNICAL SPECIFICATION

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS	OUR CONFORMS	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS	OUR CONFORMS
Resistance to surface wear	350 [Revolutions]	✓	350 [Revolutions]	✓
Resistance to immersion in boiling water - Mass increase [%] - Thickness increase [%] - Appearance	10.0 [Maximum] 11.8 [Maximum] Not worse than 4	✓	7.5 [Maximum] 8.5 [Maximum] Not worse than 4	✓
Resistance to dry heat 180° c	Not worse than 4	✓	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal [%] - Transverse [%]	0.55 [Maximum] 1.025 [Maximum]	✓	0.44 [Maximum] 0.86 [Maximum]	✓
Dimensional stability at 20° c - Longitudinal [%] - Transverse [%]	0.375 [Maximum] 0.60 [Maximum]	✓	0.31 [Maximum] 0.49 [Maximum]	✓
Resistance to impact by small diameter ball	20 N [Minimum]	✓	20 N [Minimum]	✓
Resistance to cracking	Not worse than 4	✓	Not worse than 4	✓
Resistance to scratching	2 N [Minimum]	✓	2 N [Minimum]	✓
Resistance to staining	Not worse than 5	✓	Not worse than 5	✓
Resistance to colour change (wood standards) - In xenon arc light - In enclosed carbon arc light	Not worse than 6 Not worse than 5	✓	Not worse than 6 Not worse than 5	✓
Resistance to cigarette burns	Not worse than 3	✓	Not worse than 3	✓
Resistance to steam	Not worse than 4	✓	Not worse than 4	✓
Appearance	Should be free from foreign particles	✓	Should be free from foreign particles	✓

Types : Standard, post forming, compact, cabinet liners, backer
Size : 2440 mm x 1220 mm [8'x4']
Thickness : 1.00mm(±10%)

Care & Maintenance : Cleaning should be carried out with a soft moist cloth and warm soap solution. Do not use detergents containing abrasive particle or excess soda.

Highlight:
• Design from genuine imported base paper.
• Manufactured using best quality kraft paper.
• Use of best chemical raw materials for better flexibility & durability.

Disclaimer: Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of color, pattern and surface finish but not of actual thicknesses. All metallic patterns series recommended for vertical application only.
Limited Warranty: Company warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviation, related manufacturing specifications. This warranty shall be limited only to the original buyer for a period of care. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only. Our products are used for various applications without the possibility of control over the manufacturing of the finished products. The Company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or entity.

Do not use nail and hammer while cutting such Corner, Grew, Angle, and Designs.
Use only drill while cutting such Corner, Grew, Angle and Designs.

A P P L I C A T I O N S



AIRPORT
TERMINALS



DISCOTHEQUES



INDUSTRIES




PUBS & BARS



RELIGIOUS
PLACES



GYMNASIUMS



SUPER
MARKETS



CORRIDORS/HALLS




SCHOOLS



SHOPPING
MALLS



OFFICES




HOTELS




DOMESTIC



TRANSPORT
HUB



NO CLAIM WILL BE
ENTERTAINED FOR AIR BUBBLES



Cutting a laminate sheet at an
angle of 90 degree leads to
development of cracks in corner
after pasting. Therefore it is
advisable to avoid cutting at
an angle of 90 degrees.

A Product of :

SUPA LAMINATES PVT. LTD.

Mundka Industrial Area
Opp. Pillar No.559,
Rohtak Road, New Delhi 110041, India

PLANT

57 Km, Milestone, Gandhra Mor,
Village: Ismaila, Sampla,
Distt: Rohtak, Haryana-124501, India
Email: info@supalam.com